Postpartum Bonding Questionnaire (PBQ)

Instructions: Please indicate how often the following are true for you. There are no 'right' or 'wrong' answers. Choose the answer which seems right in your recent experience:

	Items	Always	Very often	Quite often	Some- times	Rarely	Never
1. I fe	eel close to my baby						
2. I w	vish the old days when I had no baby would come back						
3. I fe	eel distant from my baby						
4. I lo	ove to cuddle my baby						
5. I r	egret having this baby						
6. Th	ne baby doesn't seem to be mine						
7. M	y baby winds me up						
8. I lo	ove my baby to bits						
9. I fe	eel happy when my baby smiles or laughs						
10. M	y baby irritates me						
11. l e	enjoy playing with my baby						
12. M	y baby cries too much						
13. I fe	eel trapped as a mother						
14. I fe	eel angry with my baby						
15. l r	esent my baby						
16. M	y baby is the most beautiful baby in the world						
17. l w	vish my baby would somehow go away						
18. I h	nave done harmful things to my baby						
19. M	y baby makes me feel anxious						
20. I a	nm afraid of my baby						
21. M	y baby annoys me						
22. I fe	eel confident when caring for my baby						
	eel the only solution is for someone else to look after my						
24. I fe	eel like hurting my baby						
25. M	y baby is easily comforted						

Scoring: For more information on scoring the PBQ, please see the original article for cut-scores and interpretation. Below, please see a scoring sheet for the individual items.

Brockington, I., Fraser, C. & Wilson, D. The Postpartum Bonding Questionnaire: a validation. Archives of Womens Mental Health 9, 233–242 (2006). https://doi.org/10.1007/s00737-006-0132-1.

	Items	Always	Very often	Quite often	Some- times	Rarely	Never
1.	I feel close to my baby	0	1	2	3	4	5
2.	I wish the old days when I had no baby would come back	5	4	3	2	1	0
3.	I feel distant from my baby	5	4	3	2	1	0
4.	I love to cuddle my baby	0	1	2	3	4	5
5.	I regret having this baby	5	4	3	2	1	0
6.	The baby doesn't seem to be mine	5	4	3	2	1	0
7.	My baby winds me up	5	4	3	2	1	0
8.	I love my baby to bits	0	1	2	3	4	5
9.	I feel happy when my baby smiles or laughs	0	1	2	3	4	5
10.	My baby irritates me	5	4	3	2	1	0
11.	I enjoy playing with my baby	0	1	2	3	4	5
12.	My baby cries too much	5	4	3	2	1	0
13.	I feel trapped as a mother	5	4	3	2	1	0
14.	I feel angry with my baby	5	4	3	2	1	0
15.	I resent my baby	5	4	3	2	1	0
16.	My baby is the most beautiful baby in the world	0	1	2	3	4	5
17.	I wish my baby would somehow go away	5	4	3	2	1	0
18.	I have done harmful things to my baby	5	4	3	2	1	0
19.	My baby makes me feel anxious	5	4	3	2	1	0
20.	I am afraid of my baby	5	4	3	2	1	0
21.	My baby annoys me	5	4	3	2	1	0
22.	I feel confident when caring for my baby	0	1	2	3	4	5
23.	I feel the only solution is for someone else to look after my baby	5	4	3	2	1	0
24.	I feel like hurting my baby	5	4	3	2	1	0
25.	My baby is easily comforted	0	1	2	3	4	5

	Subscale	Items	Range	Cut-off
1	General – Difficulties in Mother- Infant Relationship (12)	1; 2; 6; 7; 8; 9; 10; 12; 13; 15; 16; 17	0 - 60	$\leq 11 = normal$ $\geq 12 = high$
2	Rejection and Pathological Anger	3; 4; 5; 11; 14; 21; 23	0 - 35	$\leq 12 - \text{filgil}$ $\leq 16 = \text{normal}$
	(7)			≥17 = high
3	Infant Focused Anxiety (4)	19; 20; 22; 25	0 - 20	\leq 9 = normal \geq 10 = high
4	Incipient Abuse (2)	18; 24	0 - 10	$\leq 2 = \text{normal}$ $\geq 3 = \text{high}$